

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L2	2587	L1 and (gene or nucleic or genom \$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L3	2433	L2 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L4	2432	L3 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L5	89	L4 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L6	65	L4 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L7	487	L4 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L8	26	L7 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L9	308	L7 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L10	14	L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L11	121	L7 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L12	5	L7 and ((quality near2 control) near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L13	54	L11 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L14	84	L11 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L15	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L16	2587	L15 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L17	2433	L16 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L18	2432	L17 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L19	89	L18 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L20	65	L18 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L21	487	L18 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L22	26	L21 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L23	308	L21 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L24	14	L22 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L25	121	L21 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L26	5	L21 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L27	54	L25 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L28	84	L25 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L29	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L30	2587	L29 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L31	2433	L30 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L32	2432	L31 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L33	89	L32 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L34	65	L32 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L35	487	L32 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L36	26	L35 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L37	308	L35 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L38	14	L36 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L39	121	L35 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L40	5	L35 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L41	54	L39 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L42	84	L39 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L43	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L44	2587	L43 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L45	2433	L44 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L46	2432	L45 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L47	89	L46 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L48	65	L46 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L49	487	L46 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L50	26	L49 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L51	308	L49 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L52	14	L50 and L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L53	121	L49 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L54	5	L49 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L55	54	L53 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L56	84	L53 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L57	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L58	2587	L57 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L59	2433	L58 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L60	2432	L59 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L61	89	L60 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L62	65	L60 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L63	487	L60 and client- server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L64	26	L63 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L65	308	L63 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L66	14	L64 and L65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L67	121	L63 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L68	5	L63 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L69	54	L67 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L70	84	L67 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L71	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L72	2587	L71 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L73	2433	L72 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L74	2432	L73 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L75	89	L74 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L76	65	L74 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L77	487	L74 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L78	26	L77 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L79	308	L77 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L80	14	L78 and L79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L81	121	L77 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L82	5	L77 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L83	54	L81 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L84	84	L81 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L85	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L86	2587	L85 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L87	2433	L86 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L88	2432	L87 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L89	89	L88 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L90	65	L88 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L91	487	L88 and client- server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L92	26	L91 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L93	308	L91 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L94	14	L92 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L95	121	L91 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L96	5	L91 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L97	54	L95 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L98	84	L95 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L99	50832	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L100	2587	L99 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L101	2433	L100 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L102	2432	L101 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L103	89	L102 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L104	65	L102 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L105	487	L102 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L106	26	L105 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

L107	308	L105 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L108	14	L106 and L107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L109	121	L105 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L110	5	L105 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L111	54	L109 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29
L112	84	L109 and (patient or clinic \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 07:29

EAST Search History (Interference)

< This search history is empty >

3/ 1/ 2010 7:35:07 AM**C:\ Documents and Settings\ szhou1\ My Documents\ EAST\ Workspaces\ 10765547.wsp**